

Anti - c-FOS

Rabbit clonal antibody

CAT#

DB 186-0.05 (50 µl)
DB 186-0.1 (100 µl)

PRODUCT INFORMATION


Clone number:	A16-L	Buffer:	20 mM Tris-HCl, pH 8.0
Uniprot:	Human: P01100; Mouse: P01101; Rat: P12841	Stabilizer:	10 mg/ml BSA
Product description:	Rabbit anti-c-FOS clonal IgGs	Preservative:	0.05% Sodium Azide
Basic information:	Major clone of rabbit immunoglobulin corresponding to immunogenic peptide	Storage:	10 µl aliquots at -20°C
Immunogen:	Peptide derived from the C-terminal sequence of human c-FOS. Antibody recognizes the epitope located between His358 - Leu372.	Handling:	Avoid repeated freezing and thawing
Species Reactivity:	Human, mouse, rat - tested	Expiration:	24 months from the shipping date
		Applications:	Western blot, Immunoprecipitation, ELISA
		Dilution range:	Western blotting – 1:2,000 ELISA – 1:20,000-1:50,000 Immunoprecipitation – to be tested by user

WESTERN BLOT (WB) PROTOCOL - INSTRUCTION MANUAL

Western immunoblotting solutions:

- Wash buffer: 1x Tris Buffered Saline (TBS); 0.1% Triton X-100
- Blocking buffer: 1xTBS; 0.1% Triton X-100; 8% nonfat dry milk

For western blots, incubate the membrane with antibody diluted in blocking buffer for 2 hours at room temperature.



PRECAUTIONS

1. Intended for professional In Vitro Diagnostic use in laboratories.
2. Do not use after expiration date stamped on vial label.
3. Avoid contamination of the reagent.
4. Any discrepancies in the recommended procedures stated in the working protocol may affect the final results.
5. The reagent contains sodium azide (NaN₃) which is highly toxic in higher concentrations. The concentration in the reagent (0.05%) is not considered as hazardous.
6. Disposal of waste material must be conducted in accordance with local regulations.
7. Wear appropriate Personal Protective Equipment to avoid contact with eyes and skin.